

### Amendments to the claims

This listing of claims replaces all prior versions, and listings, of claims in the application.

### Listing of claims

1. (Currently amended) A method of forming a structure in a housing, comprising:

providing said housing having at least first and second openings, said first opening being spaced from said second opening and being in fluid communication with each other;

dispensing into said housing a predetermined amount of casting solution comprising a membrane-forming polymer;

exposing said casting solution to a quenching bath in which said polymer is insoluble so as to cause said quenching bath to enter each of said openings simultaneously in order to precipitate said polymer in said housing; wherein said precipitated polymer has an aspect ratio of less than about 10.

2. (Original)The method of claim 1, further comprising providing a plurality of sorptive particles in said porous polymer.

3. (Original) The method of claim 1, wherein said quenching bath enters each of said openings isobarically.

4. (Original) The method of claim 1, wherein said quenching bath comprises alcohol and water.

5. (Original) The method of claim 1, wherein said quenching bath is a gas.

6. (Original) The method of claim 1, wherein said housing is a drain of a well of a multi-well plate.

7.-18. (cancelled)

19. (Currently amended) A method of forming a structure in a housing, comprising:

providing said housing having a plurality of wells, each of said wells having a drain having an inlet and an outlet;

introducing into each said drain a predetermined amount of casting solution comprising a membrane-forming polymer;

exposing said casting solution to a quenching bath in which said polymer is insoluble by causing said quenching bath to enter both said inlet and said outlet of each said drain isobarically and simultaneously in order to precipitate said polymer in each said drain;

wherein said precipitated polymer has an aspect ratio of less than about 10.

20. (Previously presented) The method of claim 19, wherein said casting solution comprises sorptive particles.

21. (Previously presented) The method of claim 19, wherein said quenching bath enters said inlet and outlet isobarically.

22. (Previously presented) The method of claim 19, wherein said quenching bath comprises alcohol and water.

23. (Previously presented) The method of claim 19, wherein said quenching bath is a gas.